

FLAME-MATE 2.0

Our ceaseless dedication to developing and manufacturing the highest quality Chinese catering equipments is incomparable. We engineer the most efficient and reliable equipments possible and refuse to cut any corners that could sacrifice quality. We introduced our redesigned and highly innovative FLAME-MATE 2.0 with better cooking efficiency & durability.



COMMON FEATURES



Slanted exhaust with cover. Back splash height changes from 440 to 360mm.



Engraved with laser brand label and new water valve design.

EXCELLENCE THROUGH INNOVATION

Precision and quality define our collection of FLAME-MATE 2.0. Developed in-house to be as durable, hygiene and efficient as possible, our innovative designs have redefined the Chinese cooking equipments. Featuring premium materials and elegant aesthetics, our Chinese cooking equipments are in a class of their own.

Advanced Craftsmanship

Upgraded corrosion resistant S/S frame material and extruded one piece table top.



Elegant Aesthetics Profile

Redesigned exterior and interior for ergonomic outlook.



Powerful burner design

Enhance the cooking performance with powerful burner rating (48KW).




SPECIFICATIONS

Environmental Cooking Range - Guangdong Style

Model	Dimension (mm)			Burner Rating (kW)	No. of burner/ No. of Rear pot/ No. of Rear Burner
	W	D	H		
ECR-1-GF(E)	1200	1250	810+360	48	1/1/0
ECR-2-GF(E)	2200	1250	810+360	48 x 2 = 96	2/2/0
ECR-1-NF(E)	1200	1050	810+360	48	1/1/0
ECR-2-NF(E)	2200	1050	810+360	48 x 2 = 96	2/2/0
ECR-1-MF(E)	1200	1250	810+360	48	1/1/0
ECR-2-MF(E)	2200	1250	810+360	48 x 2 = 96	2/2/0


GF: Designed for 18"-24" wok NF: Designed for 18"-22" wok
MF: Banquet usage, designed for 24-28" wok



Environmental Cooking Range - Shanghai Style

Model	Dimension (mm)			Burner Rating (kW)	No. of burner/ No. of Rear pot/ No. of Rear Burner
	W	D	H		
ECR-1-SF(E)	1400	1250	810+360	48 + 5 = 53	1/1/1
ECR-2-SF(E)	2400	1250	810+360	(48 + 5) x 2 = 106	2/2/2
ECR-1-RF(E)	1400	1050	810+360	48 + 5 = 53	1/1/1
ECR-2-RF(E)	2400	1050	810+360	(48 x 2) + 5 = 101	2/2/1


SF/RF: Designed for 14"-16" wok



Environmental Cooking Range - Open Kitchen Type

Model	Dimension (mm)			Burner Rating (kW)	No. of burner/ No. of Rear pot/ No. of Rear Burner
	W	D	H		
ECR-1-LF(E)	1200	1050	810+100	48	1/1/0
ECR-2-LF(E)	2200	1050	810+100	48 x 2 = 96	2/2/0
ECR-1-PF(E)	1400	1050	810+100	48 + 5 = 53	1/1/1
ECR-2-PF(E)	2400	1050	810+100	48 x 2 + 5 = 101	2/2/1


LF: Guangdong Style, designed for 18"-22" wok
PF: Shanghai Style, designed for 14"-16" wok



Enironmental Large Cooking Range

Model	Dimension (mm)			Burner Rating (kW)	No. of burner/ No. of Rear pot/ No. of Rear Burner
	W	D	H		
ECR-1-BF(E)	1200	1250	810+360	48	1/0/0
ECR-2-BF(E)	2200	1250	810+360	48 x 2 = 96	2/0/0

BF: Built in 32" wok for bulk cooking



Environmental Chop Suey Range


Model	Dimension (mm)			Burner Rating (kW)	No. of burner/ No. of Rear pot/ No. of Rear Burner
	W	H	D		
ESR-1-HF(E)	760	900	810+360	32	1/0/0
ESR-2-HF(E)	1500	900	810+360	32 x 2 = 64	2/0/0

HF: Designed for 14"-16" wok




Environmental Steamer Series

Model	Dimension (mm)			Burner Rating (kW)	Type
	W	D	H		
ECS-1C	900	1050	810+360	42	Steamer
ECS-2C	1500	1050	810+360	56	Steamer
ERS-2C	1200	1050	810+360	42	Rice Roll Steamer




Environmental Steamer / Steam Cabinet Series

Model	Dimension (mm)			Burner Rating (kW)	Type
	W	D	H		
ESC-1VC	800	880	1800	42	Single Door
ESC-1RC	1250	880	1800	50	Roll-in
ESC-2HC	900	880	1765	42	Double Horizontal Doors
ESC-2VC	800	880	1800	42	Double Vertical Doors
ESC-2BC	1150	880	1800	56	Butterfly Open Door
ESC-3HC	900	880	1900	42	Triple Doors
ESC-3HX	1200	880	1900	56	Triple Doors - 48" width




Open Flame Range Series



Model	Dimension (mm)			Burner Rating (kW)	No. of Burner/ Burner Size
	W	D	H		
OFR-4-BF(S)	900	760	810+150	5 x 4 = 20	4 / 6"
OFR-4-DF(S)	900	900	810+150	7 x 4 = 28	4 / 7"
OFR-6-BF(S)	900	760	810+150	5 x 6 = 30	6 / 6"
OFR-6-DF(S)	1200	900	810+150	7 x 6 = 42	6 / 7"




Stock Pot Stove Series



Model	Dimension (mm)			Burner Rating (kW)	No. of Burner/ Burner Size
	W	D	H		
SPS-1-8F(S)	550	650	810+150	14	1 / 8"
SPS-1-14F(S)	600	760	500	24	1 / 14"
SPS-2-8F(S)	1100	650	500	14 x 2 = 28	2 / 8"
SPS-2-14F(S)	1200	760	500	24 x 2 = 48	2 / 14"



Chinese BBQ Roaster Series



Model	Dimension (mm)			Burner Rating (kW)	No. of Burner/ Burner Size
	W	D	H		
CDR-8S	Ø810		1400	16	32" Duck Roaster
CDR-9S	Ø910		1500	16	36" Duck Roaster
CPR-096WS	620	900	600	36	Pig Roaster

